

Location: Lough Gara, Co. Roscommon		Unique ID: 260445 (from PFRA database)	
Initial OPW Designation	APSR <input type="checkbox"/>	AFRR <input checked="" type="checkbox"/>	IRR <input type="checkbox"/>
Co-ordinates	Easting:		Northing:
River / Catchment / Sub-catchment	River Boyle/ Boyle / Shannon		
Type of Flooding / Flood Risk (identify all that apply)	Fluvial non-tidal <input checked="" type="checkbox"/> Fluvial tidal <input type="checkbox"/> Coastal <input type="checkbox"/>		

Stage 1: Desktop Review	
1.1 Flood History (include review of Floodmaps.ie)	River Flow Path The area for flood risk review is immediately downstream of Lough Gara on the Boyle River which flows easterly towards the town of Boyle and Lough Key. This length of watercourse is unmodified with no significant hydraulic constrictions. Flood Event Records No flood records are listed in floodmaps.ie
1.2 Relevant information on flooding issues from OPW and LA staff	PFRA database comments (<i>in italics</i>): OPW comments <i>Not designated APSR. Included in MPW</i> LA comments <i>Historical, Flood scheme carried out in 1980's – 1990's * Local Authority water scheme source (North Roscommon Regional Water Scheme)</i> Meeting / discussion summary comments: OPW comments <ul style="list-style-type: none"> No properties are at risk, PFRA score is based on Cultural Heritage. LA comments <ul style="list-style-type: none"> Lough Gara is drained by the Boyle - -not an issue for Roscommon County Council – no further information.

1.4 PFRA Data			
1.4.1 PFRA hazard mapping	PFRA mapping available in GIS layer:		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
	PFRA mapping included on FRR map:		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
1.4.2 Summary of Principal Receptors	Type		FRI score (if available)
	Monument_LV		1296
	Total		1556
1.7 Stage 1 Evaluation	Aspect	Clearly APSR	Uncertain
	Flood History (1.1)		X
	OPW / LA Information (1.2)		X
	PFRA Evaluation (1.4)	X	
	Overall Desktop Evaluation (if any above aspect is uncertain then overall designation is uncertain)		X
1.8 Proposed level of assessment for Stage 2 site visits	Level A Site Visit		X
	Level B Site Visit		

Stage 2: Site Inspection		Level A Assessment		
Date and Time of Inspection		Date: 12/05/11		
		Time: 18:00		
Names of inspection team (including OPW/LA staff if present)		Peter Smyth		
		James Murray		
2.1 Ground-truthing of Hazard Mapping	Fluvial non-tidal <input checked="" type="checkbox"/> Fluvial tidal <input type="checkbox"/> Coastal <input type="checkbox"/> Not available <input type="checkbox"/> Hazard mapping seems reasonable through the Lough Gara area for flood risk review			
2.2 Spot check ground-truthing of selected receptor vulnerability (also note any key receptors noted during visit that are not identified by PFRA)	Receptor Type	Location description (if not obvious)	Exists?	Overall Vulnerability / Risk (L / M / H)
	Crannogs	Series of crannogs on both banks of the Boyle downstream of Lough Gara	Yes	Low
2.3 Local knowledge - on-site comments (OPW, LA and any info volunteered by local residents during visit)	No on-site comments.			
2.4 Comments on hydraulic constrictions (bridges, etc.) and conveyance routes	None.			

2.5 SVRS Assessment Matrix												
Weightings: A - x1 - reasonable expectation of flooding B - x2 - high expectation of flooding C - x5 - risk to life												
Approx. Number	1 to 4				5 to 20				>20			
Weighting		A	B	C		A	B	C		A	B	C
Property (domestic)	10				100				200			
Property (small retail or business)	20				200				400			
Property (large retail or business)	50				500				1000			
Road or Rail Infrastructure	30				300				600			
Critical Infrastructure (local) [hospital, school, police/fire/ambulance station, substation, WTW/WWTW, gov bldg, other (specify)]	50				500				1000			
Critical Infrastructure (national importance)	250				1000				2000			
Cultural Heritage Site	20	X			200				400			
Environmental Designated Site	20				200				400			
Hazardous Substances Site	50				500				1000			
Total SVRS									20			
2.6 Defence Assets												
Formal and Informal Flood Defence Assets <i>(include effective and ineffective assets to inform asset survey and potential mitigation measures)</i>	Open Channel Watercourses Man-made river channel <input type="checkbox"/> Flood relief channel <input type="checkbox"/> Canal <input type="checkbox"/> Mill leat <input type="checkbox"/> Drainage channels / back drains <input type="checkbox"/>											
	Bridges and Culvert crossings Single Arch bridge <input type="checkbox"/> Multi-Arch bridge <input type="checkbox"/> Single Span bridge <input type="checkbox"/> Multi-Span bridge <input type="checkbox"/> Box culvert(s) <input type="checkbox"/> Pipe culvert(s) <input type="checkbox"/> Arch Culvert(s) <input type="checkbox"/>											
	Culverted Watercourses (culvert length is greater than just a crossing) Box culvert(s) <input type="checkbox"/> Pipe culvert(s) <input type="checkbox"/> Arch Culvert(s) <input type="checkbox"/> Irregular Culvert(s) <input type="checkbox"/>											
	Walls and Embankments Embankment(s) <input type="checkbox"/> Raised wall(s) <input type="checkbox"/> Retaining wall(s) <input type="checkbox"/>											
	Control Structures – weirs, gates, dams Fixed crest weir <input type="checkbox"/> Adjustable weir <input type="checkbox"/> Dam / Barrage <input type="checkbox"/> Sluice gates <input type="checkbox"/> Lock gates <input type="checkbox"/> Radial gates <input type="checkbox"/>											
	Storage On-line storage (natural) <input type="checkbox"/> On-line storage (artificial) <input type="checkbox"/> Off-line storage <input type="checkbox"/>											
	Outfalls Flapped outfall(s) into watercourse <input type="checkbox"/> Unflapped outfall(s) into watercourse <input type="checkbox"/> <i>i.e. from smaller watercourses, drains etc. into river / estuary / sea</i>											
	Tidal flap(s) <input type="checkbox"/> Tidal sluice(s) <input type="checkbox"/> <i>i.e. from main watercourse into estuary / sea</i>											

	Other Pumping Station <input type="checkbox"/> Erosion Protection <input type="checkbox"/> Sand Dunes <input type="checkbox"/> Additional notes (if required):
2.8 Initial Potential Mitigation Measures	
Non-structural measures	Planning and Development control <input type="checkbox"/> Sustainable Urban Drainage Systems <input type="checkbox"/> Flood forecasting / warning <input type="checkbox"/> Change in Operating Procedures for water level control: <input type="checkbox"/> Public awareness campaign <input type="checkbox"/> Individual property protection <input type="checkbox"/> Land use management <input checked="" type="checkbox"/>
Structural measures	Strategic development management for floodplain development: <input type="checkbox"/> <i>(integration of measures into strategic development proposals)</i> Storage: On-line <input type="checkbox"/> Off-line <input type="checkbox"/> Flow diversion: Flood relief channel <input type="checkbox"/> Flood relief culvert <input type="checkbox"/> Increase conveyance: Bridge works <input type="checkbox"/> Channel works <input type="checkbox"/> Floodplain <input type="checkbox"/> Flood defences: Walls <input type="checkbox"/> Embankments <input type="checkbox"/> Localised works: Defence raising <input type="checkbox"/> In-fill gaps <input type="checkbox"/> Trash screen <input type="checkbox"/> Maintenance works: Culvert / channel clearance <input type="checkbox"/> Asset maintenance <input type="checkbox"/> Relocation of properties: <input type="checkbox"/> Improve existing defences: <input type="checkbox"/> (describe) Other (describe):

Outcomes				
PFRA Designation	APSR <input type="checkbox"/> not an APSR <input checked="" type="checkbox"/> IRR <input type="checkbox"/>		FRI Score: 1556	
Site Ground-truthing of PFRA Assessment (hazard mapping and receptors)	High Confidence (good)	Uncertain	Low Confidence (poor)	Not available
	X			
Site Visit Review Score	20			
Recommended Designation	APSR <input type="checkbox"/> not an APSR <input checked="" type="checkbox"/> IRR <input type="checkbox"/>			
Summary Comments (if required)	<p>The Lough Gara area for flood risk review is uninhabited. Lough Gara is included in this flood risk review as a result of flood risk to Crannogs which are classified as historic monuments. For the purposes of this risk review the entire area has been considered a cultural heritage site – individual Crannogs have not been scored.</p> <p>The risk associated with these Crannogs is considered to be low. This is mainly due to the unmodified nature of the River Boyle through the site.</p> <p>There are an insufficient number of critical receptors at significant risk of flooding to warrant designation as an APSR.</p>			



Photo1: Outlet from Lough Gara.



Photo 2: Immediately downstream of Lough Gara.



Photo 3: Landscape at the AFRR Lough Gara.




Photo 4: River Boyle further downstream at the AFRR Lough Gara.

