

Location: Moneygall, Co. Offaly		Unique ID: 253115 (from PFRA database)	
Initial OPW Designation	APSR <input type="checkbox"/>	AFRR <input checked="" type="checkbox"/>	IRR <input type="checkbox"/>
Co-ordinates	Easting: 203073		Northing: 180993
River / Catchment / Sub-catchment	Near the Ballyfinboy River / Shannon		
Type of Flooding / Flood Risk (identify all that apply)	Fluvial non-tidal <input checked="" type="checkbox"/> Fluvial tidal <input type="checkbox"/> Coastal <input type="checkbox"/>		

Stage 1: Desktop Review	
1.1 Flood History (include review of Floodmaps.ie)	<p>River Flow Path</p> <p>Local tributaries to the Ballyfinboy River are located in and around the village of Moneygall.</p> <p>Surface water run-off from adjacent high ground (Army Hill & Culberts farmyard) to the south and southwest is the main source of flood risk to the town of Moneygall.</p> <p>Flood Event Records</p> <p>Three records of flood events are listed in floodmaps.ie. These are related to surface water run off from the hills south and south west of the village.</p>
1.2 Relevant information on flooding issues from OPW and LA staff	<p>PFRA database comments (<i>in italics</i>):</p> <p><i>OPW comments</i> <i>Not designated APSR as failed to reach predictive analysis threshold</i></p> <p><i>LA comments</i> <i>Overland flooded, foot of mountain Land drain filled in on mountain. Floods fairly regularly.</i></p> <p>Meeting / discussion summary comments:</p> <p>OPW comments</p> <ul style="list-style-type: none"> No information, not part of OPW maintained watercourses. <p>LA comments</p> <ul style="list-style-type: none"> Flood risk is a pluvial or surface water issue.

1.4 PFRA Data			
1.4.1 PFRA hazard mapping	PFRA mapping available in GIS layer:		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
	PFRA mapping included on FRR map:		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
1.4.2 Summary of Principal Receptors	Type		FRI score (if available)
	Receptors not considered as part of the PFRA process. FRI score not calculated in PFRA.		
1.7 Stage 1 Evaluation	Aspect	Clearly APSR	Uncertain
	Flood History (1.1)		X
	OPW / LA Information (1.2)		X
	PFRA Evaluation (1.4)		X
	Overall Desktop Evaluation (if any above aspect is uncertain then overall designation is uncertain)		X
1.8 Proposed level of assessment for Stage 2 site visits	Level A Site Visit		X
	Level B Site Visit		

Stage 2: Site Inspection		Level A Assessment		
Date and Time of Inspection		Date:02/06/11		
		Time:12:30		
Names of inspection team (including OPW/LA staff if present)		Mathieu Valois		
		James Murray		
2.1 Ground-truthing of Hazard Mapping	Fluvial non-tidal <input checked="" type="checkbox"/> Fluvial tidal <input type="checkbox"/> Coastal <input type="checkbox"/> Not available <input type="checkbox"/> It was confirmed on-site that the flood risk in Moneygall is purely surface water or pluvial.			
2.2 Spot check ground-truthing of selected receptor vulnerability (also note any key receptors noted during visit that are not identified by PFRA)	Receptor Type	Location description (if not obvious)	Exists?	Overall Vulnerability / Risk (L / M / H)
	No receptors at risk from fluvial flooding			
2.3 Local knowledge - on-site comments (OPW, LA and any info volunteered by local residents during visit)	No on-site comments.			
2.4 Comments on hydraulic constrictions (bridges, etc.) and conveyance routes	No hydraulic constrictions.			

2.5 SVRS Assessment Matrix

Weightings:

A - x1 - reasonable expectation of flooding

B - x2 - high expectation of flooding

C - x5 - risk to life

Approx. Number	1 to 4				5 to 20				>20			
Weighting		A	B	C		A	B	C		A	B	C
Property (domestic)	10				100				200			
Property (small retail or business)	20				200				400			
Property (large retail or business)	50				500				1000			
Road or Rail Infrastructure	30				300				600			
Critical Infrastructure (local) [hospital, school, police/fire/ambulance station, substation, WTW/WWTW, gov bldg, other (specify)]	50				500				1000			
Critical Infrastructure (national importance)	250				1000				2000			
Cultural Heritage Site	20				200				400			
Environmental Designated Site	20				200				400			
Hazardous Substances Site	50				500				1000			
Total SVRS									0			

2.6 Defence Assets

Formal and Informal Flood Defence Assets <i>(include effective and ineffective assets to inform asset survey and potential mitigation measures)</i>	Open Channel Watercourses Man-made river channel <input type="checkbox"/> Flood relief channel <input type="checkbox"/> Canal <input type="checkbox"/> Mill leat <input type="checkbox"/> Drainage channels / back drains <input type="checkbox"/> Bridges and Culvert crossings Single Arch bridge <input type="checkbox"/> Multi-Arch bridge <input type="checkbox"/> Single Span bridge <input type="checkbox"/> Multi-Span bridge <input type="checkbox"/> Box culvert(s) <input type="checkbox"/> Pipe culvert(s) <input type="checkbox"/> Arch Culvert(s) <input type="checkbox"/> Culverted Watercourses (culvert length is greater than just a crossing) Box culvert(s) <input type="checkbox"/> Pipe culvert(s) <input type="checkbox"/> Arch Culvert(s) <input type="checkbox"/> Irregular Culvert(s) <input type="checkbox"/> Walls and Embankments Embankment(s) <input type="checkbox"/> Raised wall(s) <input type="checkbox"/> Retaining wall(s) <input type="checkbox"/> Control Structures – weirs, gates, dams Fixed crest weir <input type="checkbox"/> Adjustable weir <input type="checkbox"/> Dam / Barrage <input type="checkbox"/> Sluice gates <input type="checkbox"/> Lock gates <input type="checkbox"/> Radial gates <input type="checkbox"/> Storage On-line storage (natural) <input type="checkbox"/> On-line storage (artificial) <input type="checkbox"/> Off-line storage <input type="checkbox"/> Outfalls Flapped outfall(s) into watercourse <input type="checkbox"/> Unflapped outfall(s) into watercourse <input type="checkbox"/> <i>i.e. from smaller watercourses, drains etc. into river / estuary / sea</i> Tidal flap(s) <input type="checkbox"/> Tidal sluice(s) <input type="checkbox"/> <i>i.e. from main watercourse into estuary / sea</i>
---	--

	Other Pumping Station <input type="checkbox"/> Erosion Protection <input type="checkbox"/> Sand Dunes <input type="checkbox"/> Additional notes (if required):
2.8 Initial Potential Mitigation Measures	
Non-structural measures	Planning and Development control <input type="checkbox"/> Sustainable Urban Drainage Systems <input type="checkbox"/> Flood forecasting / warning <input type="checkbox"/> Change in Operating Procedures for water level control: <input type="checkbox"/> Public awareness campaign <input type="checkbox"/> Individual property protection <input type="checkbox"/> Land use management <input type="checkbox"/>
Structural measures	Strategic development management for floodplain development: <input type="checkbox"/> <i>(integration of measures into strategic development proposals)</i> Storage: On-line <input type="checkbox"/> Off-line <input type="checkbox"/> Flow diversion: Flood relief channel <input type="checkbox"/> Flood relief culvert <input type="checkbox"/> Increase conveyance: Bridge works <input type="checkbox"/> Channel works <input type="checkbox"/> Floodplain <input type="checkbox"/> Flood defences: Walls <input type="checkbox"/> Embankments <input type="checkbox"/> Localised works: Defence raising <input type="checkbox"/> In-fill gaps <input type="checkbox"/> Trash screen <input type="checkbox"/> Maintenance works: Culvert / channel clearance <input type="checkbox"/> Asset maintenance <input type="checkbox"/> Relocation of properties: <input type="checkbox"/> Improve existing defences: <input type="checkbox"/> (describe) Other (describe):

Outcomes				
PFRA Designation	APSR <input type="checkbox"/> not an APSR <input checked="" type="checkbox"/> IRR <input type="checkbox"/>		FRI Score: Not scored	
Site Ground-truthing of PFRA Assessment (hazard mapping and receptors)	High Confidence (good)	Uncertain	Low Confidence (poor)	Not available
	X			
Site Visit Review Score	0			
Recommended Designation	APSR <input type="checkbox"/> not an APSR <input checked="" type="checkbox"/> IRR <input type="checkbox"/>			
Summary Comments (if required)	No fluvial flood risk to Moneygall. Moneygall is prone to severe surface flooding, which is not part of the CFRAM Study. There are extensive reports dealing with the surface water flooding problem with anecdotal evidence and a potential solution has already been developed.			



Photo1: Moneygall village centre.



Photo 2: Surface water culvert in Moneygall

